

	• •	
Please type a plus sign (+) inside this box → + Under the Paperwork Reduction Act of 1995, no persons are required	PTO/S8/05 (4/98) Approved for use through 09/30/2000. OMB 0851-0032 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE to respond to a collection of information unless it displays a valid OMB control number.	-
UTILITY	Attorney Docket No. 402-093.17	
PATENT APPLICATION	First Inventor or Application Identifier Michael G. ENGLER	40
TRANSMITTAL	Title System for Extending Length of a Connec	tion.a.US
(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Express Mail Label No. EL 628 638 103 US	eripheal
APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application content.	Assistant Commissioner for Patents O	
* Fee Transmittal Form (e.g., PTO/SB/17)		9 = 9
1. X (Submit an original and a duplicate for fee processing)	5. Microfiche Computer Program (Appendix)	S = 3
(Submit an original and a duplicate for fee processing) 2. X Specification Total Pages 1.1.4.	Microtiche Computer Program (Appendix) Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)	
2. X Specification [Total Pages 14*] - Descriptive title of the Invention	6. Nucleotide and/or Amino Acid Sequence Submission	2/0/0/0/0/0/0/0/0/0/0/0/0/0/0/0/0/0/0/0
2. X Specification [Total Pages 14*	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)	

1		(Submit an	ongmu and a duplica	te for fee proc	cessing)		ш				ogram (Appendix)	
2.	Х	Specificati	on <i>mangement set forth</i> :	[Total Page below)	95 [14*]	6	. Nucle (<i>if ap</i>	otide a p <i>licable</i>	nd/or Amin , <i>all neces</i>	no Acid sary)	Sequence Submis	sion
ı			ve title of the Inven				a.				able Copy	
			ferences to Relate		ns			=				
		- Statemer	nt Regarding Fed s	ponsored R			b.	Щ	Paper Cop	py (ide	ntical to computer c	ору)
		_	e to Microfiche App				C.		Statement	t verify	ing identity of above	3 copies
		_	and of the Invention	*		L	А	CCOM	PANYIN	G AP	PLICATION PAR	TS
ı			mary of the invent cription of the Drav		•	7					ver sheet & docume	
ı			Cription of the Dray Description	Mings (<i>it tiled</i>	<i>7)</i>				R.§3.73(b)			
ĺ		- Claim(s)	zescription			8		(when I	here is an	assigi	nee) Attorne	
		• •	of the Disclosure			9		English	Translatio	n Doc	ument (if applicable	,
3.			(35 U.S.C. 113)	[Total Sheet	3]	10.	一	Informa	tion Disclo	sure	Copies	of IDS
4.	Oath o	or Declarati	on	Total Page.	s 2]	11.	\Box	Prelimin	ary Amen	dment		
	a.	X Ne	wly executed (origi	nal or copy)		12	一	Retum	Receipt Po	stcard	(MPEP 503)	
	b.	Con	ov from a prior app	fication (37)	C.F.R. § 1.63	¥ ·	LX ,	<i>(Should</i> 'Small	be specifi			
			CONTINUADON/GIVISIONS	el with Box 16	completed)	13.		Stateme		Sta	tement filed in prior	application
	i. DELETION OF INVENTOR(S) Certified Copy of Priority Document(s) Certified Copy of Priority Document(s)											
1	Signed statement attached deleting inventor(s) named in the prior application, (if foreign priority is claimed)											
l _	see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).											
I.	NOTE FO	HITEUS I &	14- IN DADED TO BEE	Secretary Section	VEINT CELE	a l'~	┙,	Jiner:	***************************************		***************************************	*******
ľ	EES, A.S.	CED IN A PRIC	STATEMENT IS REQU OR APPLICATION IS RE	RED (37 C.F.R. 'UED UPON (37	\$ 1.27), EXCEPT C.E.R. \$ 1.281				***************************************	***********	***************************************	*******
									***************************************	**********		
١.,	<u> </u>	Continuation	Divisional	спеск арргор	onate box, and	supply ti				and in	a preliminary amendn	tent:
	Prior application information: Examiner											
Fo	For CONTINUATION or DIVISIONAL APPS only: The polling disclosure of the section o											
นก	under Eox 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.											
(e)	erance.	The Incorpo	ration <u>can only</u> be		mon a portion	THES DOG	II WEGA	er centry	omitted fro	m the	submitted application	porated by
_				17. COR	RESPOND	NCE	ADDRI	ESS				
-	-				•							
<u> </u>	⊥ Custo	omer Numbe	r or Bar Code Label				•		or [Con	respondence address i	below
		1		(Insert Custo	omer No. or Att	ach bar	code labe	of her e)				
Νa	me		Retter									
,,,,		WARE	E, FRESSOLA	A, VAN	DER SLU	YS &	ADO	LPHS	ON LL	P		
		755 N	lain Street	- D ^	Doz- 22	1.			· · · · · · · · · · · · · · · · · · ·			
Adi	dress	7.7.1	latii Street	. P.U.	BOX ZZ	4						
City	· · · · · · · · · · · · · · · · · · ·	Monro				CT					06160 0001	
	untry	FIUITIC	· C		State	СТ			ZpC		06468-0224	
					elephone					Fax		
	Name	(PrintType)	James A. F	Retter			Registra	ation No.	(Attorney/Ag	ent)	41,266	$\overline{}$
	C		701-								1.2,200	

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

FEE TRANS	IATTIM	Ce		
	_	Application Number		0
for FY \circ	2000	Filing Date	Herewith	Ē.
Patent fees are subject to a	nnual revision.	First Named Inventor	Michael G. ENGLER	
Small Entity payments <u>must</u> be supported otherwise large entity fees must be paid.		Examiner Name		~ <u>~</u> ;E
See 37 C F.R. §§ 1.27 and 1.28.		Group / Art Unit		44
TOTAL AMOUNT OF PAYMENT (\$) 385.00		Attorney Docket No.	402-093.17	5,2
METHOD OF PAYMENT	(check one)	FEE C	ALCULATION (continued)	

METHOD OF PAYMENT (check one)	FEE CALCULATION (continued)	ň		
1. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to.	3. ADDITIONAL FEES Large Entity Small Entity Fee Fee Fee Fee Fee Fee Code (\$) Code (\$)	Fee Paid		
Account 23-0442	105 130 205 65 Surcharge - late filing fee or oath			
Deposit Account	127 50 227 25 Surcharge - late provisional filing fee or cover sheet			
Name	139 130 139 130 Non-English specification			
Charge Any Additional Fee Required Under 37 CFR §§ 1 16 and 1 17	147 2,520 147 2,520 For filing a request for reexamination			
	112 920* 112 920* Requesting publication of SIR prior to Examiner action			
2. X Payment Enclosed: X Check Order Other	113 1,840* 113 1,840* Requesting publication of SIR after Examiner action			
FEE CALCULATION	115 110 215 55 Extension for reply within first month			
	116 380 216 190 Extension for reply within second month			
BASIC FILING FEE Large Entity Small Entity	117 870 217 435 Extension for reply within third month			
Fee Fee Fee Fee Description	118 1,360 218 680 Extension for reply within fourth month			
Code (\$) Code (\$) Fee Paid 101 690 . 201345 . Utility filing fee	128 1,850 228 925 Extension for reply within fifth month			
101 690 . 201 345 . Utility filing fee 106 310 . 206155 . Design filing fee	119 300 219 150 Notice of Appeal			
107 480 . 207 240 . Plant filing fee	120 300 220 150 Filing a brief in support of an appeal			
108 690 . 208 3 4 5 . Reissue filing fee	121 260 221 130 Request for oral hearing			
114 1 5 0 . 214 7 5 . Provisional filing fee	138 1,510 138 1,510 Petition to institute a public use proceeding	ng		
	140 110 240 55 Petition to revive - unavoidable			
SUBTOTAL (1) (\$) 345.00	141 1,210 241 605 Petition to revive - unintentional			
2. EXTRA CLAIM FEES	142 1,210 242 605 Utility issue fee (or reissue)			
Fee from Extra Claims below Fee Paid	143 430 243 215 Design issue fee			
Total Claims 3 -20** = X = 0.00	144 580 244 290 Plant issue fee			
Independent / - 3** = X = 0.00	122 130 122 130 Petitions to the Commissioner			
Multiple Dependent =	123 50 123 50 Petitions related to provisional application	s		
or number previously paid, if greater, For Reissues, see below	126 240 126 240 Submission of Information Disclosure Str	nt		
Large Entity Small Entity Fee Fee Fee Fee Fee Description Code (\$) Code (\$)	581 40 581 40 Recording each patent assignment per property (times number of properties)	40.00		
103 18 203 9 Claims in excess of 20	146 760 246 380 Filing a submission after final rejection			
102 78 202 39 Independent claims in excess of 3	(37 CFR § 1.129(a)) 149 760 249 380 For each additional invention to be			
104 260 204 130 Multiple dependent claim, if not paid	examined (37 CFR § 1.129(b))			
109 78 209 39 ** Reissue independent claims over original patent	Other fee (specify)			
110 18 210 9 ** Reissue claims in excess of 20 and over original patent	Other fee (specify)			
SUBTOTAL (2) (\$) Ø · Ø ò	Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)	40.00		
SUBMITTED BY	Complete (if applicable)			
Name (Proof Type) Lamper A Pottor Registration No. 1 266 Telephone (203) 261 - 1234				

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Date

09/27/00

Tales

Signature

Applicant Patentee, or identifier. Michael G. ENGLER Application or PetertNo: Pledoriesust Herewith The System for Extending Length of a Connection to a USB For System for Extending Length of a Connection to a USB For Increby state that I am The sener of the small business concern empowered to act on behalf of the concern identified below. NAME OF SMALL BUSINESS CONCERN Lightwave Communications, Inc. ADDRESS OF SMALL BUSINESS CONCERN 100 Washington Street, Milford I hereby state that the above identified small business concern qualifies as a small business. 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Off to size standards for a small business concern may be directed to: Small Business Administration.	
The currer of the small business concern identified below. If an efficiel of the small business concern empowered to act on behalf of the concern identified and of the concern identified as a small business of paying reduced fees to the United States Patent and Trademark Off to size adaptant for a small business concern may be directed to: Small Business Administration.	
ADDRESS OF SMALL BUSINESS CONCERN 100 Washington Street, Milford I hereby state that the above identified errall business concern qualifies as a errall business to CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Off to size standards for a small business concern may be directed to: Small Business Administration.	
I hereby state that the above identified email business concern qualifies as a email business of CFR Part 121 for purposes of paying reduced (see to the United States Patent and Trademark Off to size standards for a small business concern may be directed to: Small Business Administration.	
13 CFR Part 121 for purposes of paying reduced (see to the United States Patent and Trademark Off to size standards for a small business concern may be directed to: Small Business Administration.	rd, CT 06460-
409 Third Street, SW, Washington, DC 20418. I hereby state trial rights under contract or law have been conveyed to and remain with the st	See Servers Sen,
identified above with regard to the invention described in: The specification fied herewith with little as listed above. The application identified above. The petent identified above.	
If the rights held by the above identified small business concern are not exclusive, each is organization having rights in the invention must the separate statements us to their status as small to the invention are held by any paraon, other than the inventor, who would not qualify as an independent of the inventor, or by any concern which would not qualify as a sunder 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).	enides, and no rights andert inventor under
Each person, concern, or organization having any rights in the invention is listed below: The such person, concern, or organization exists. The such person, concern, or organization is listed below.	
Separate statements are required from each named person, concern or organization having stating their status as small entities. (37 CFR 1.27)	rights to the invention
i acknowledge the duty to file, in this application or patent, notification of any change in state entitionent to arrest entity status prior to paying, or at the time of paying, the earliest of the isable fe for due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))	re or eny maintenance
NAME OF PERSON SIGNING DAVID B CITERVER	
TITLE OF PERSON IF OTHER THAN OWNER PRESIDENT	0.0-0-1
ADDRESS OF PERSON SIGNING 100 WASKINGTON ST MILTOR	
SIGNATURE Dan B Cheever DATE 9-0	

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. This will very depending upon the needs of the individual case. Any communits on the amount of time you are required to complete this form should be sent to Chief Information Citicar, Patent and Trainment Citicar, Versitarians, DC 20221. DO NOT SEND FERS OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissions for Patents, Versitarians, DC 20221.

(Small Entity-Small Business (PTO/SB/10) [7-4.1]-page 1 of 1)

PATENT APPLICATION

of

Michael G. Engler

for a

System for Extending Length of a connection to a USB Peripheral

CERTIFICATE

Date of Deposit: Sep. 27, 2000

Mailing Label No.: 24 628 638 103 US

I hereby verify that this specification, claims and the drawing referred to herein and the enclosed transmittal letter and fee are being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington DC 20231, and this statement was made with the knowledge that willful false statements and the like are punishable by fine and/or imprisonment under 18 USC 1001 and may jeopardize the validity of the application or any patent issuing thereon.

Printed Name of Person Mailing Paper:

JUDITH SCHICK

Signa

5

10

SYSTEM FOR EXTENDING LENGTH OF A CONNECTION TO A USB DEVICE

FIELD OF THE INVENTION

The present invention pertains to the field of hardware for connecting devices, such as a mouse and a keyboard, to a computer, and in particular, to extender hardware (including intelligent systems) to be used in combination with the device connection hardware for providing for connections of such devices over substantially greater distances than the device connection hardware allows by itself.

BACKGROUND OF THE INVENTION

In order to allow for easier connection to a personal computer (PC) of input/output devices, such as a mouse and a keyboard, a standard has been developed to replace the existing so-called Personal System 2 (PS2) standard for such devices. The new standard is called universal serial bus (USB), and its latest version (2.0) sets out how not only low speed devices such as a mouse or keyboard are to be connected, but also how high speed devices such as a digital camera or a scanner are to be connected. USB allows expandability of a PC's capabilities via an external port, eliminating the need for users or integrators to open the system chassis of the PC. USB supports multiple peripheral devices simultaneously, so it allows users to run numerous devices such as printers, scanners, digital cameras and speakers from a single PC. USB also provides for automatic device detection and installation (i.e. plug-andplay).

In providing a specification that would make connection of a device easier (via plug-and-play) and at the same time

30

5

10

providing for a connection that is up to 100 times faster than the original serial port and supports multiple device connectivity, tradeoffs had to be made. One tradeoff is in the maximum allowed length of the connector used to connect a peripheral device to a computer; the cable for a USB peripheral device cannot be greater than 5 meters, although it is possible to connect to a computer up to thirty meters away using for example a series of so-called hub devices or driving the connection at a higher-than-designed-for voltage.

In some applications, it is advantageous to connect a peripheral device, such as a mouse or keyboard, to a computer over distances of up to 10,000 feet. It is not possible to make such a connection using a series of hubs (because USB hub hardware makes possible a connection of only up to thirty meters even using hubs), nor does the prior art generally teach how to make a USB connection over such long distances.

What is needed is a way of extending a connection from a USB peripheral device, or at least a low-speed USB peripheral device such as a mouse or a keyboard, to distances of up to 10,000 feet.

SUMMARY OF THE INVENTION

Accordingly, the present invention provides a system for extending in length a connection from a universal serial bus (USB) peripheral device to a computer beyond the length enabled by the device hardware, the system including: a USB host emulator, for polling the USB peripheral device according to a USB standard protocol, for receiving input provided by the USB peripheral device in response to the polling, for providing the input in a form suitable for transmission via a communications channel, such as serialized form for transmission via a copper

-2-

or spread spectrum form for communication as a radiofrequency signal; the communications channel, having an input end and an output end, responsive to the input at the input end, for providing the input at the output end; a USB device emulator, responsive to the input at the output end of the communications channel, and further responsive to polling from the computer, and in response to the polling, for reforming the input into USB format and providing the USB formatted input to the computer according to a USB protocol.

10

5

In a further aspect of the invention, the USB host emulator includes: a USB transceiver, for bi-directionally coupling a glue logic module to the USB peripheral device so as to allow polling the USB peripheral device and to allow receiving a report packet provided by the USB peripheral device in response to the polling, the USB transceiver for providing physical interfacing, according to a USB standard, of the attached USB device to the glue logic module; the glue logic module, such as a field programmable gate array, for interfacing the USB transceiver to a control processor; a control processor, for polling the USB peripheral device and for receiving a report packet provided by the USB peripheral device in response to the polling, and further for providing the report packet information in serialized form; a serial peripheral interface (SPI) universal asynchronous receiver/ transmitter (UART), serving as a bus for serial data transmission, for applying the serialized report packet information to a communications port; and the communications port, for applying the serialized report packet information received from the SPI UART to the communications channel.

30

25

In another, further aspect of the invention, the USB device emulator includes: a communications port, for receiving the

5

10

serialized report packet information received from the SPI UART to the communications channel; a serial peripheral interface (SPI) universal asynchronous receiver/ transmitter (UART), serving as a bus for serial data transmission, for communicating the serialized report packet information to a control processor; the control processor, for receiving and storing the serialized report packet information, responsive to polling from the host computer, for providing the report packet information in packetized format in response to the polling; the glue logic module, such as a field programmable gate array, for interfacing the control processor to a USB transceiver; and the USB transceiver, for bi-directionally coupling the glue logic module to the host computer so as to allow polling of the USB peripheral device and to allow providing a report packet provided by the USB peripheral device in response to the polling, the USB transceiver for providing physical interfacing, according to a USB standard, of the host computer to the glue logic module.

Brief Description of the Drawings

The above and other objects, features and advantages of the invention will become apparent from a consideration of the subsequent detailed description presented in connection with accompanying drawings, in which:

Fig. 1 is a block diagram showing a system according to the present invention for extending the length of a connecting to two USB devices, a USB mouse and a USB keyboard, the system including a USB host emulator component and a USB device emulator component;

30

5

Fig. 2 is a more detailed block diagram of the USB host emulator component of the system of the present invention; and

Fig. 3 is a more detailed block diagram of the USB device emulator component.

BEST MODE FOR CARRYING OUT THE INVENTION

Referring now to Fig. 1, a system for extending in length a connection to a peripheral device according to a universal serial bus (USB) standard is shown as including a USB host emulator 15 connected to a USB confined peripheral such as a USB keyboard 11 or a USB mouse 12, and a USB device emulator 18 connected to a host 20 such as a personal computer (PC) or a sun The USB host emulator 15 responds to each work station. attached USB peripheral 11 12 according to a USB standard. USB peripheral device 11 12 is connected to the USB host emulator 15 via a USB cable 13 14. According to the USB standard, a USB host polls attached USB peripherals and, in response, each polled USB peripheral responds with a report packet communicating for example input from a user. 13 connecting the USB keyboard 11 to the USB host emulator 15, and the cable 14 connecting the USB mouse 12 to the USB host emulator 15 has a maximum length of approximately 5 meters when provided according to a USB standard. According to the present invention, the USB host emulator communicates to the USB device emulator 18 over a communications channel 16 not provided according to a USB standard the report packets it receives from the attached peripherals 11 12; the communications channel may be implemented as a wireless communication channel, a copper wire, or an optical fiber, and may be up to for example 10,000 feet. In communicating the report packets to the USB device

30

5

10

emulator 18, the USB host emulator 15 serializes the packets for transmission over the communications channel 16 to the USB device emulator, or otherwise prepares the packets for transmission via the communications channel 16 such as by formatting the packets as a spread spectrum signal for transmission as one form of radiofrequency (RF) signal. device emulator 18 emulates a USB peripheral, such as a USB keyboard or a USB mouse, and is compatible with both USB host and hub communications, and, in response to receiving a serialized report packet from the USB host emulator 15, the USB device emulator 18 calculates a check sum of the transmitted serialized report packet and, in case of an error, signals the USB host emulator 15 via a return communications channel 17. The USB device emulator 18 stores each serialized report packet it receives from the USB host emulator 15 until it is polled by the host 20. In the preferred embodiment, the USB device emulator 18 emulates a human interface device (HID) compatible USB keyboard and HID compatible mouse, communicating to the host 20 the report packets originally prepared by the actual USB peripheral devices 11 12 via a standard USB connection 19.

Referring now to Fig. 2, the USB host emulator 15 is shown in more detail as including one USB transceiver 21 22 for each attached peripheral device 11 12. Each USB transceiver 21 22 provides all physical USB interfacing to the attached USB peripheral device 11 12. A USB transceiver 21 22 in the preferred embodiment is a host/slave microprocessor chip such as the SL811HS host/slave controller provided by ScanLogic Corporation, a dual-speed USB host/slave controller for use in non-PC devices. A glue logic module 23 provides low level logical interfacing to all attached peripheral devices 11 12, complementing the physical interfacing provided by the USB transceivers 21 22. The glue logic module is more specifically

30

5

10

programmed to poll the attached USB peripheral devices according to a USB standard (such as for example USB standard version 1.1 or USB standard version 2.0). The control processor 24 receives report packets from the attached peripheral devices in response to its polling of the peripherals and stores the report packets until they are successfully communicated to the USB device emulator 18; in other words, the control processor 24 waits until it receives a confirmation from the USB device emulator 18 that the report packets have arrived with correct checksums. provide the report packets to the USB device emulator, the control processor 24 serializes the report packet and provides them through a serial peripheral interface (SPI) universal asynchronous receiver/transmitter 26 to a communication port 28 leading to a communication channel 16 between the USB host emulator 15 and the USB device emulator 18. In case of a failed checksum, the USB device emulator 18 signals the USB host emulator 15 over the return communication channel 17. The USB host emulator 15 also includes a status indicator 25 coupled to the control processor 24 so as to signal to a user the status of the control processor, such as for example whether the control processor is receiver or transmitting. In addition, a diagnostic port 27 for the control processor is provided to enable collecting information on the performance and processing of the control processor 24.

a field programmable gate array. The glue logic module provides

in particular timing interfacing between a control processor 24

and the USB transceivers 21 22. The control processor 24 is

Referring now to Fig. 3, the USB device emulator 18 is shown in more detail as including several modules corresponding to modules of the USB host emulator 15. The USB device emulator is essentially a mirror image of the USB host emulator. However, the control processor 34 of the device emulator is

30

5

10

programmed to act as a USB device, instead of a USB host (as in the USB host emulator) and so responds to polling from the host 20 with report packets it receives in serialized form over the communication channel 16 from the USB host emulator. emulator includes a communication port 38 to which the communication channel 16 from the USB host emulator and the communication channel 17 leading to the USB host emulator are connected, an SPI UART 37 interfacing the control processor to the communication port 38, a glue logic module 33 providing logical interfacing of the control processor 34 to a USB transceiver 32, the USB transceiver in turn providing the physical interfacing between a USB port 31 and the glue logic module 33. In addition, just as in the case of the USB host emulator, the device emulator includes a status indicator 35 for indicating to the user the status of the control processor 34, and also includes a diagnostic port 36 allowing access by a user to information about the performance and operation of the control processor 34.

In the preferred embodiment, both the USB host emulator 15 and the USB device emulator 18 are each provided in their own protective container in such a way that the status indicators 25 35 are visible to a user, but the diagnostic ports 27 36 cannot be accessed without opening the protective containers.

The USB device emulator is capable of operating standalone in case of a communication failure while it is communicating with the USB host emulator. The USB device emulator satisfies all PC host boot up requirements, allowing normal operation and boot up without first establishing communications with the USB host emulator. When a connection is established, normal operation begins. On the USB host emulator side, status

10

indicator lights of the USB keyboard flash continuously, alerting the user, until communications is established.

It is to be understood that the above-described arrangements are only illustrative of the application of the principles of the present invention. In particular, the present invention is intended to comprehend a USB host emulator and a USB device emulator with sufficient computing resources to allow extending the length of a connection not only for low-speed devices such as a mouse or a keyboard, but also for high-speed devices such as a scanner; all that is required is to use a USB device emulator and a USB host emulator with greater processing power compared to what is satisfactory for connecting a low-speed device. Numerous other modifications and alternative arrangements from what is disclosed here may be devised by those skilled in the art without departing from the spirit and scope of the present invention, and the appended claims are intended to cover such modifications and arrangements.

What is claimed is:

- 1 1. A system for extending in length a connection from a 2 universal serial bus (USB) peripheral device to a computer beyond 3 the length enabled by the device hardware, the system comprising:
 - a) a USB host emulator, for polling the USB peripheral device according to a USB standard protocol, for receiving input provided by the USB peripheral device in response to the polling, for providing the input in a form suitable for transmission via a communications channel;
 - b) the communications channel, having an input end and an output end, responsive to the input at the input end, for providing the input at the output end;
 - c) a USB device emulator, responsive to the input at the output end of the communications channel, and further responsive to polling from the computer, and in response to the polling, for reforming the input into USB format and providing the USB formatted input to the computer according to a USB protocol.
 - 2. A system as in claim 1, wherein the USB host emulator further comprises:
 - a) a USB transceiver, for bi-directionally coupling a glue logic module to the USB peripheral device so as to allow polling the USB peripheral device and to allow receiving a report packet provided by the USB peripheral device in response to the polling, the USB transceiver for providing physical interfacing, according to a USB standard, of the attached USB device to the glue logic module;

8

9

10

11

12

13

13

14

15

16

17

18

- b) the glue logic module, such as a field programmable gate
 array, for interfacing the USB transceiver to a control
 processor;
 - c) a control processor, for polling the USB peripheral device and for receiving a report packet provided by the USB peripheral device in response to the polling, and further for providing the report packet information in serialized form;
 - d) a serial peripheral interface (SPI) universal asynchronous receiver/ transmitter (UART), serving as a bus for serial data transmission, for applying the serialized report packet information to a communications port; and
 - e) the communications port, for applying the serialized report packet information received from the SPI UART to the communications channel.
 - 3. A system as in claim 1, wherein the USB device emulator further comprises:
 - a) a communications port, for receiving the serialized report packet information received from the SPI UART to the communications channel;
 - b) a serial peripheral interface (SPI) universal asynchronous receiver/ transmitter (UART), serving as a bus for serial data transmission, for communicating the serialized report packet information to a control processor;
 - c) the control processor, for receiving and storing the serialized report packet information, responsive to polling from the host computer, for providing the report packet information in packetized format in response to the polling;

18

19

20

21

22

23

- d) the glue logic module, such as a field programmable gate array, for interfacing the control processor to a USB transceiver; and
 - e) the USB transceiver, for bi-directionally coupling the glue logic module to the host computer so as to allow polling of the USB peripheral device and to allow providing a report packet provided by the USB peripheral device in response to the polling, the USB transceiver for providing physical interfacing, according to a USB standard, of the host computer to the glue logic module.
 - 4. A system as in claim 1, wherein the form suitable for transmission via the communications channel is a serialized form.
 - 5. A system as in claim 1, wherein the form suitable for transmission via the communications channel is a form used for radiofrequency communications, such as a spread spectrum form.

ABSTRACT OF THE DISCLOSURE

A system for extending in length a connection from a universal serial bus (USB) peripheral device to a computer beyond the length enabled by the device hardware. The system includes: a USB host emulator, for polling the USB peripheral device according to a USB standard protocol, for receiving input provided by the USB peripheral device in response to the polling, for providing the input in a form suitable for transmission via a communications channel, such as serialized form for transmission via a copper or spread spectrum form for communication as a radiofrequency signal; the communications channel, having an input end and an output end, responsive to the input at the input end, for providing the input at the output end; a USB device emulator, responsive to the input at the output end of the communications channel, and further responsive to polling from the computer, and in response to the polling, for reforming the input into USB format and providing the USB formatted input to the computer according to a USB protocol.




FIG. 1




FIG. 2




FIG. 3

As a below named inventor, I hereby declare that:

- my residence, post office address and citizenship are as stated below next to my name;
- I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: System for Extending Length of a Connection to a USB Peripheral
- the specification of which is attached hereto unless the following box is checked: . If the box is checked,

the application was filed on as U.S. Application Number

or PCT International Application Number

and was amended on

(if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

	Prior Foreign Application		Priority Not Claimed
(Application Number)	(Country)	(Day/Month/Year Filed)	
(Application Number)	(Country)	(Day/Month/Year Filed)	
(Application Number)	(Country)	(Day/Month/Year Filed)	

To the extent permitted by rule or law, I hereby incorporate by reference the Prior Foreign Application(s) listed above.

I hereby claim the benefits under 35 U.S.C. §119(e) of any United States provisional application(s) listed below:

(Provisional Application Number)	(Day/Month/Year Filed)
(Provisional Application Number)	(Day/Month/Year Filed)

I hereby claim the benefit under 35 U.S.C. §120 of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information which is material to patentability, as defined in 37 CFR §1.56, which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application Number)	(Day/Month/Year Filed)	(Statuspatented, pending, abandoned)
(Application Number)	(Day/Month/Year Filed)	(Statuspatented, pending, abandoned)

I hereby appoint the attorney(s) and/or agent(s) assigned to the customer number listed below, as may from time to time be amended, belonging to the firm of Ware, Fressola, Van Der Sluys & Adolphson LLP, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Customer Number	er	
4955		

Address all telephone calls to: Ware, Fressola, Van Der Sluys & Adolphson LLP at (203) 261-1234. Address all correspondence to:

Customer Number	
4955	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Michael G. ENGLER Full name of sole or first inventor (given name, middle initial, FAMILY NAME(S) IN UPPER CASE)				
Muchael & Englis Inventor's Signature	9/22/2020 Date			
Stamford, Connecticut Residence	USA Citizenship			
Post Office Address: 41 Weed Hill Avenue, Stam	ford, CT 06907			
Full name of second inventor (given name, midd	le initial, FAMILY NAME(S) IN UPPER CASE)			
Invested & Cimphus	Deta			
Inventor's Signature	Date			
Residence	Citizenship			
Post Office Address:				
Full name of third inventor (given name middle	e initial, FAMILY NAME(S) IN UPPER CASE)			
Tan mane of third inventor (given mains, mader	Initial, 1 AMILE 1 MANAGO IN CITER CASE)			
Inventor's Signature	Date			
Residence	Citizenship			
Post Office Address:				

Additional inventors are being named on separately numbered sheets attached hereto.